


FREUDE

OWNER'S MANUAL



FBW-25S

10" PASSIVE SUBWOOFER SEALED BOX

WARNING

PLEASE READ CAREFULLY BEFORE INSTALLING OR OPERATING THIS UNIT!

Introduction

Thank you for purchasing FREUDE products designed according to high quality standards.

The FBW-25S passive subwoofer sealed box is a delicate product that won't take up too much space on your vehicle.

To get the best performance from your new components, we recommend that you carefully follow the instructions in this manual. In order to design and create top-of-the-line automotive hi-fi systems, you need to be very knowledgeable about the mechanical and electrical issues of the car; If you think you lack the required knowledge or the appropriate tools, consult a professional installer.

Professional installation will ensure that your system performs all the performance you pay for without compromising the safety and reliability of your vehicle.

This manual is intended to provide you with the basic guidance you need to install and use this product. For more information, please contact an authorized FREUDE distributor or a FREUDE Service center.

Features

- 1.Slim sealed subwoofer box for limited spaces in cars and trucks.
- 2.Slim and compact design allows both vertical and horizontal mounting.
- 3.Durable MDF enclosure reduces vibration.
- 4. Wrapped with premium velvet fabric with a smooth texture, effectively cushioning vibrations from ground contact.
- 5.Speakers are mounted downward and airflow radiates downward to optimize bass response with superior efficiency, allowing for richer, deeper, heart-pounding low-frequency sound regardless of where the speakers are mounted.

Precautions

- Before making holes, check the mounting space with supplied template.
- To prevent noise keep the wiring away from motors, high-voltage leads and other potential noisesources.
- To prevent a short-circuit, keep all wiring away from moving parts and sharp edges.
- Make sure you carefully read and understand the installation instructions before installing the system in vehicle.

Packing List

The following items should be placed in the gift box according to the model you purchased. If there is any missing, please inform the seller or manufacturer as soon as possible.

- FBW-25S (Subwoofer Box) · 1 pc
- User Manual (English) · 1 pc
- User Manual (Simplified Chinese) · 1 pc
- Mounting Bracket · 2pcs
- Self Tapping Cross Screws · 4pcs
- Cross Countersunk Head Screws · 8pcs




Continuous listening to high volume(>110dB) voice may jeopardize hearing ability. listening to voice over 130dB may causes permanent damage to hearing

Product Specifications


· Type:	· Passive Subwoofer Sealed Box
· Subwoofer Size:	· 10" (250mm) Subwoofer
· Max Power:	· 500 W
· Rms Power:	· 250 W
· Impedance:	· 4 Ohm
· Sensitivity(2.83V/1M):	· 90 dB
· Frequency Range:	· 33-400 Hz
· Enclosure Material:	· MDF
· Cone:	· Polystyrene With Rubber Surround
· Voice Coil:	· 2" (51mm)
· Magnet:	· Ferrite 40.5Oz (135x20mm)
· Weight:	· 7.5Kg
· Dimensions:	· 480x 155x310 mm
· Made in P.R.C	

Product Dimensions




The contents of this manual and the specifications of this product are subject to change without notice. SICHERHEIT reserves the right to make changes to the specifications and materials contained therein without notice.

Install



Example of Connection



FREUDE

SICHERHEIT (ASIA) CO., LIMITED
Address: Flat/rm 815 8/f Star House 3 Salisbury Road
Tsim Sha Tsui, Kowloon, Hong Kong

The contents of this manual and the specifications of this product are subject to change without notice.
SICHERHEIT Company reserves the right to make changes to the specifications and materials contained therein without notice.